

We Can Do This:

HHS Vaccine Resources for Community Health Workers

THE NACHC MISSION

America's Voice for Community Health Care

The National Association of Community Health Centers (NACHC) was founded in 1971 to promote efficient, high quality, comprehensive health care that is accessible, culturally and linguistically competent, community directed, and patient centered for all.







Recording Disclaimer


- This Zoom Meeting service includes a feature that allows audio and any documents and other materials exchanged or viewed during the session to be recorded
- By joining this session, you automatically consent to such recordings






AUDIO CONNECTIONS

Option 1: "Phone Call"
Follow the unique process on your screen using your phone



Option 2: "Call Using Computer Audio "


You must have computer speakers and a microphone







MUTE / VIDEO



1. Mute

Attendees are automatically muted in Zoom Webinar.


2. Video

Attendees do not have access to their camera in Zoom Webinar.






CHAT BOX



Chat Box

Type in the chat box and press "Enter" or use it to read the chat










Friendly Reminders

- Today's Meeting is being RECORDED
- Please keep your audio line MUTED



 The CHAT BOX is open for the duration of this event





Meet Today's Speakers



Moderator
Wanda Montalvo, PhD, RN, FAAN
Senior Fellow and Team Lead Public

Health Integration and
Innovation
National Association of Community
Health Centers (NACHC)



Presenter

Xóchitl Castañeda, PhD

Founding Director
Health Initiative of the Americas, UC Berkeley School
of Public Health






Flipchart for Community Health Workers:

COVID vaccines and the importance of a booster for children ages 5 and older.



HHS COVID Public Education Campaign

A campaign to increase vaccine confidence while reinforcing basic prevention measures.





It is a disease caused by the SARS-CoV-2 virus.



It is spread from an infected person to others by respiratory particles.



Inhaling through the nose or mouth.



Touching the eyes, nose or mouth with the hands.





- Fever or chills
- Cough
- Difficulty breathing
- Fatigue
- Body aches
- Headache
- Loss of smell or taste
- Sore throat
- Congestion or runny nose
- Nausea or vomiting
- Diarrhea





Get vaccinated



Wear a mask when needed



Social distancing as needed



Wash your hands











COVID testing:

- Rapid (antigen) tests, order them for free at www.covid.gov
- Laboratory tests



False? True?

Myths and misinformation





For more information about the COVID-19 vaccines, scan this QR code.



Find COVID vaccines and boosters near you:



Ask a doctor



Visit the website vaccines.gov



Call 1-800-232-0233



Text your ZIP code to 438829



Stay informed of community events hosted by schools, clinics, churches, and other community organizations



COVID-19 Public Education Campaign

An initiative to increase confidence in COVID-19 vaccines and reinforce basic prevention measures

Shareable Resources \vee

Outreach Tools V

About the Campaign \vee

Get Involved ~

Search Q



COVID-19 VACCINE BOOSTERS

CDC recommends that children ages 5-11 should receive a booster.

Read the media statement.

See Resources

Children Ages 5+

Resources to encourage parents to vaccinate their children ages 5 and older.

View Resources

Addressing Vaccine Misconceptions

Tools to help you respond to common misconceptions about COVID-19 and the vaccines.

See Resources

CDC Guidance and Recommendations

The latest authoritative information from CDC to guide your outreach efforts.

Get the Latest



COVID-19 Public Education Campaign

An initiative to increase confidence in COVID-19 vaccines and reinforce basic prevention measures

Shareable Resources V Outreach Tools V

About the Campaign ∨

Get Involved \vee

Search Q

Español

Home » Find Resources Toolkits

General Market (310) Parents (153)

Audience

- Young Adults & Students (79)
- Latino Hispanic (54)
- Health Care Professionals (50)
- □ Black African American (47)□ American Indians Alaska
- Rural Communities (26)
- ☐ Public Transport Workers (22)
- Older Adults (21)

Natives (31)

- Community Health Workers (14)
- ☐ Teachers/School Administrators (14)
- Asian American Pacific Islander (13)
- Agricultural Workers (12)
- Community-Based Organization: (12)
- Faith Based Communities Religious Organizations (9)
- People With Disabilities (5)
- ☐ LGBTQ+ (4)

Language	0
English (420)	
Spanish (205)	
Korean (17)	
Simplified Chinese (17)	
Traditional Chinese (17)	
☐ Vietnamese (17)	
Tagalog (16)	
Arabic (14)	
Haitian Creole (14)	
Russian (14)	
Hindi (2)	
Mandarin (1)	

То	pic
	Boosters (173)
	Vaccine Safety (69)
	COVID-19 Vaccine Information (66)
	Vaccine Benefits (63)
	Preventive Measures (48)
	Pregnancy, Breastfeeding, and Fertility (24)
	Building Vaccine Confidence (15)
	Hosting a Vaccination Clinic (14)
	COVID-19 Variants (8)
	Vaccine Misinformation (7)
П	Building Campaign Confidence

(1)



TOOLKITS

Community Health Workers Toolkit

Complete resources to help community health workers build vaccine confidence and promote preventive measures in their organizations and communities.

Toolkits Community Health Workers Boosters

Kit de herramientas de comunicación para promotores de salud

TOOLKITS

Community Health Workers Toolkit — Spanish

Complete resources to help community health workers build vaccine confidence and promote preventive measures in their organizations and communities.

Toolkits Community Health Workers Boosters



Control of the Contro

I the second south the light tray opposed as southern large until adjustment of the large tray of the

☐ INFORMATIONAL CONTENT

Talking Points for Community Health Workers

Guide for how to build vaccine confidence with the target audience.

Informational Content Community Health Workers Boosters English

Link: Search Results | WECANDOTHIS.HHS.GOV



www.nachc.org/coronavirus