

Azara MAP Dashboard

Example – 11/04/2024

Hypertension Pts w/ Controlled BP

70.2%

% HTN Pts with BP <140/90

+0.3% ▲

TY 6/24

AMA MAP BP™ - Repeat Blood Pressure

75%

Result

+1% ▲

TY 6/24

AMA MAP BP™ - Medication Intensification

14%

Result

+4% ▲

TY 6/24

AMA MAP BP™ - Average SBP reduction (mm Hg)

-16.36

Result

-1.48% ▼

TY 6/24

AMA MAP BP™ - Follow-Up After Visit with Uncontrolled HTN

22%

Result

0%

TY 6/24

AMA MAP BP™ Metrics Scorecard

MEASURE	RESULT	NUM	DENOM	EXCL	GAP	2TGT
AMA MAP BP - HTN-Repeat Blood Pressure Measurement	75.4%	5,896	7,818	172	1,922	0
AMA MAP BP - Uncontrolled HTN Follow-Up	21.7%	655	3,013	59	2,358	852
AMA MAP BP - HTN-Medication Intensification	14.1%	883	6,279	155	5,396	1,001
Improvement in Blood Pressure	37.4%	516	1,380	33	864	

MEASURE	RESULT	TARGET	NUMERATOR	DENOMINATOR	EXCLUSIONS	GAP	TO TARGET
AMA MAP BP™ - HTN-Repeat Blood Pressure Measurement	75.4%	50.0%	5,896	7,818	172	1,922	0
AMA MAP BP™ - HTN-Follow-Up After Visit with Uncontrolled HTN	21.7%	50.0%	655	3,013	59	2,358	852
AMA MAP BP™ - HTN-Medication Intensification	14.1%	30.0%	883	6,279	155	5,396	1,001
HTN-Improvement in Blood Pressure (CMS 65v8)	37.4%	Not Set	516	1,380	33	864	

AMA MAP BP™ - HTN-Repeat Blood Pressure Measurement

Endorser: None
Steward: AMA

Encounters in the measurement period where patients with essential hypertension and uncontrolled blood pressure (>140/90) had a confirmatory blood pressure measured at the visit.

Note: You can learn more about AMA MAP BP™, a leading evidence-based quality improvement program that provides a clear path to significant, sustained improvements in hypertension control, by referring to the [AMA MAP BP™ Website](#). For additional information about how to access or use the AMA MAP BP™ Metrics in DRVS, email support@azarahealthcare.com.

Numerator:

Encounters of patients with uncontrolled blood pressure who have more than one blood pressure measured during a visit in the period.

- More than one systolic BP measurement is recorded during that visit
AND
- More than one diastolic BP measurement is recorded during that visit

Denominator:

Encounters in the period where patients 18-84 years of age had a diagnosis of essential hypertension within the first six months of the measurement period or any time prior to the measurement period.

- Age ≥ 19 and < 85 at end of measurement period
- Active diagnosis of Essential Hypertension prior to or within the first 6 months of the measurement period
- A qualifying encounter occurring in the period
- The first systolic BP measurement at the qualifying encounter is ≥ 140 mmHg
OR
- The first diastolic BP measurement at the qualifying encounter is ≥ 90 mmHg

Exclusions:

Encounters for patients with the any of the following diagnoses:

- Active Pregnancy during the measurement period
- End Stage Renal Disease
- Chronic Kidney Disease, Stage 5
- Dialysis, Kidney Transplant recipient
- Hospice Care

MEASURE	RESULT	TARGET	NUMERATOR	DENOMINATOR	EXCLUSIONS	GAP	TO TARGET
AMA MAP BP™ - HTN-Repeat Blood Pressure Measurement	75.4%	50.0%	5,896	7,818	172	1,922	0
AMA MAP BP™ - HTN-Follow-Up After Visit with Uncontrolled HTN	21.7%	50.0%	655	3,013	59	2,358	852
AMA MAP BP™ - HTN-Medication Intensification	14.1%	30.0%	883	6,279	155	5,396	1,001
HTN-Improvement in Blood Pressure (CMS 65v8)	37.4%	Not Set	516	1,380	33	864	

AMA MAP BP™ - HTN-Follow-Up After Visit with Uncontrolled HTN

Endorser: None

Steward: AMA

Patients aged 18-85 years of age, who had a repeat visit 4 weeks after a visit with uncontrolled blood pressure

Note: You can learn more about AMA MAP BP™, a leading evidence-based quality improvement program that provides a clear path to significant, sustained improvements in hypertension control, by referring to the [AMA MAP BP™ Website](#). For additional information about how to access or use the AMA MAP BP™ Metrics in DRVS, email support@azarahealthcare.com.

Numerator:

Patients with a repeat visit for blood pressure monitoring in the four weeks after the first visit with an uncontrolled baseline blood pressure

- First encounter found after the visit with uncontrolled baseline blood pressure meets these criteria
 - Qualifying Blood Pressure Visit (see value set tab)
 - Systolic BP or diastolic BP recorded on the encounter date
 - Date is less than four weeks after the first visit with an uncontrolled baseline blood pressure

Denominator:

Patients aged 18-85 years of age, who had at least one outpatient visit in the first eleven months of the measurement year, who have a diagnosis of essential hypertension documented during that outpatient visit, and who have an uncontrolled baseline blood pressure at the time of that visit.

- Age 18-85 at the end of the measurement period
AND
- First encounter found in the first 11 months of the last 12 months with the following:
 - Qualifying Blood Pressure Visit (see value set tab)
AND
 - Diagnosis of Essential Hypertension overlaps encounter date
 - And one of these
 - Systolic BP \geq 140 mmHg, for lowest reading on encounter date
OR
 - Diastolic BP \geq 90 mmHg, for lowest reading on encounter date

Exclusions:

- Kidney Transplant before end of measurement period
- Hemodialysis before end of measurement period
- Peritoneal Dialysis before end of measurement period
- Pregnancy
- End Stage Renal Disease
- Hospice Care

MEASURE	RESULT	TARGET	NUMERATOR	DENOMINATOR	EXCLUSIONS	GAP	TO TARGET
AMA MAP BP™ - HTN-Repeat Blood Pressure Measurement	75.4%	50.0%	5,896	7,818	172	1,922	0
AMA MAP BP™ - HTN-Follow-Up After Visit with Uncontrolled HTN	21.7%	50.0%	655	3,013	59	2,358	852
AMA MAP BP™ - HTN-Medication Intensification	14.1%	30.0%	883	6,279	155	5,396	1,001
HTN-Improvement in Blood Pressure (CMS 65v8)	37.4%	Not Set	516	1,380	33	864	

AMA MAP BP™ - HTN-Medication Intensification

Endorser: None
Steward: AMA

Encounters in the measurement period where patients with essential hypertension and uncontrolled BP (>140/90) had a new class of BP medication prescribed.

Note: You can learn more about AMA MAP BP™, a leading evidence-based quality improvement program that provides a clear path to significant, sustained improvements in hypertension control, by referring to the [AMA MAP BP™ Website](#). For additional information about how to access or use AMA MAP BP™ Metrics in DRVS, email support@azarahealthcare.com.

Numerator:

Encounters of patients with uncontrolled blood pressure who have been prescribed a new class of blood pressure medication in the period.

- Prescribed a new class of BP medication in the period that was not prescribed in the 12 months prior to the prescribing date.

Denominator:

Encounters in the period where patients 18-85 years of age had a diagnosis of essential hypertension within the first six months of the measurement period or any time prior to the measurement period.


- Age ≥ 19 and < 86 at end of measurement period
- Active diagnosis of Essential Hypertension prior to or within the first 6 months of the measurement period.
- Qualifying encounter occurring during the filtered period
- Lowest systolic BP measurement at the qualifying encounter is ≥ 140 mmHg
OR
- Lowest diastolic BP measurement at the qualifying encounter is ≥ 90 mmHg

Exclusions:

Encounters for patients with the any of the following diagnoses:

- Active Pregnancy during the measurement period
- End Stage Renal Disease
- Chronic Kidney Disease, Stage 5
- Dialysis, Kidney Transplant recipient
- Hospice Care

MEASURE	RESULT	TARGET	NUMERATOR	DENOMINATOR	EXCLUSIONS	GAP	TO TARGET
① AMA MAP BP™ - HTN-Repeat Blood Pressure Measurement	75.4%	50.0%	5,896	7,818	172	1,922	0
① AMA MAP BP™ - HTN-Follow-Up After Visit with Uncontrolled HTN	21.7%	50.0%	655	3,013	59	2,358	852
① AMA MAP BP™ - HTN-Medication Intensification	14.1%	30.0%	883	6,279	155	5,396	1,001
① HTN-Improvement in Blood Pressure (CMS 65v8)	37.4%	Not Set	516	1,380	33	864	



HTN-Improvement in Blood Pressure (CMS 65v8)



Endorser: None

Steward: CMS

Patients aged 18-85 years of age with a diagnosis of hypertension whose blood pressure improved during the measurement period.

Numerator:

Patients whose follow-up blood pressure is at least 10 mmHg less than their baseline blood pressure or is adequately controlled. If a follow-up blood pressure reading is not recorded during the measurement year, the patient's blood pressure is assumed "not improved."

- Follow-up Physical Exam (min 6 months after first visit) in the last 12 months
AND
- Follow-up BP systolic result < 140 mmHg
OR
- Delta of systolic BP is at least 10 mmHg less than the first visit baseline BP

Denominator:

Patients aged 18-85 years of age, who had at least one outpatient visit in the first six months of the measurement year, who have a diagnosis of essential hypertension documented during that outpatient visit, and who have uncontrolled baseline blood pressure at the time of that visit.

- Age 18-85 at the end of the measurement period
- Qualifying Visit (see Technical Specifications) in the first 6 months of the last 12 months
- Diagnosis of Essential Hypertension overlaps qualifying visit
- Systolic BP \geq 140 mmHg

Exclusions:

- Kidney Transplant before end of measurement period
- Hemodialysis before end of measurement period
- Peritoneal Dialysis before end of measurement period
- Pregnancy
- End Stage Renal Disease
- Hospice Care